


The logo for Tadex, featuring the word "Tadex" in a bold, blue, sans-serif font. The letter "T" is stylized with a crane hook and cables integrated into its top bar. The entire logo is set against a light blue oval background with a darker blue border.[illegible]

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

LIEBHERR



Wysokość podnoszenia

120 HC												
	12	11	10	9	8	7	6	5	4	3	2	1
a)	43,0*	40,5*	38,0	35,5	33,0	30,5	28,0	25,5	23,0	20,5	18,0	15,5
b)	46,2*	43,7*	41,2	38,7	36,2	33,7	31,2	28,7	26,2	23,7	21,2	18,7
c)	—	53,7**	51,2*	48,7*	46,2	43,7	41,2	38,7	36,2	33,7	31,2	28,7
d)	42,5*	40,0*	37,5	35,0	32,5	30,0	27,5	25,0	22,5	20,0	17,5	15,0
e)	45,7*	43,2*	40,7	38,2	35,7	33,2	30,7	28,2	25,7	23,2	20,7	18,2
f)	38,8*	36,3*	33,8	31,3	28,8	26,3	23,8	21,3	18,8	16,3	13,8	11,3
g)	42,0*	39,5*	37,0	34,5	32,0	29,5	27,0	24,5	22,0	19,5	17,0	14,5
h)	—	46,3*	43,8*	41,3	38,8	36,3	33,8	31,3	28,8	26,3	23,8	21,3
i)	49,5*	47,0*	44,5	42,0	39,5	37,0	34,5	32,0	29,5	27,0	24,5	22,0
j)	37,7*	35,2*	32,7	30,2	27,7	25,2	22,7	20,2	17,7	15,2	12,7	10,2
k)	—	38,4*	35,9*	33,4	30,9	28,4	25,9	23,4	20,9	18,4	15,9	13,4
l)	37,5*	35,0*	32,5	30,0	27,5	25,0	22,5	20,0	17,5	15,0	12,5	10,0
m)	—	38,2*	35,7*	33,2	30,7	28,2	25,7	23,2	20,7	18,2	15,7	13,2
n)	50,8**	48,3*	45,8*	43,3	40,8	38,3	35,8	33,3	30,8	28,3	25,8	23,3




O = bez kabiny

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl


WWW.DZWIGI-BUDOWLANE.PL

Udźwig i zasięg



Wysokość podnoszenia

	170 HC		185 HC			256 HC			
12	-	-	-	-	-	-	-	-	64,6
11	-	-	-	-	-	56,8	61,5	-	60,4
10	-	-	52,8	-	-	52,7	57,4	54,1	56,3
9	48,8	-	48,7	53,2	50,0	48,5	53,3	50,0	52,2
8	44,7	48,7	44,5	49,1	45,9	44,4	49,2	45,9	48,0
7	40,5	44,6	40,4	45,0	41,7	40,3	45,0	41,7	43,9
6	36,4	40,4	36,2	40,8	37,6	36,1	40,9	37,6	39,7
5	32,3	36,3	32,1	36,7	33,4	32,0	36,7	33,4	35,6
4	28,1	32,2	28,0	32,6	29,3	27,9	32,6	29,3	31,4
3	24,0	28,0	23,8	28,4	25,2	23,7	28,5	25,2	27,3
2	19,8	23,9	19,7	24,3	21,0	19,6	24,3	21,0	23,2
1	15,7	19,7	15,6	20,1	16,9	15,5	20,2	16,9	19,0
0	11,6	15,6	11,4	16,0	12,7	11,3	16,1	12,7	14,9
	m		m			m			m








TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

Prędkości



	U/min 0 ↔ 0,8 sl./min tr./min	1 x 7,5 kW FR.tronic-FU		25,0 m/min	2 x 4,0 kW (120 HC) 2 x 7,5 kW (256 HC) 2 x 5,5 kW (185 HC, 170 HC)						
	0 ↔ 100,0 m/min	5,5 kW FR.tronic-FU	 kVA <table><tr><td></td><td></td></tr><tr><td>37 kW FU</td><td>45 kW FU</td></tr><tr><td>47,0</td><td>54,0</td></tr></table>					37 kW FU	45 kW FU	47,0	54,0
											
37 kW FU	45 kW FU										
47,0	54,0										

Zasilanie elektryczne - zapotrzebowanie:

Napięcie zasilające

400V/50Hz

Przekrój poprzeczny kabla

4x25mm²

Całkowita moc

Wciągarka
37/45kW

50 / 58 kW

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl