



LIEBHERR



ŻURAW WIEŻOWY 172 EC-B 8




TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

Udźwig i zasięg




TADEX ŻURAWIE


62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

Udźwig i zasięg

		172 EC-B 8																			
		m/kg																			
m	r	m/kg	16,0	18,0	22,0	24,4	26,9	30,0	32,5	35,0	37,5	40,0	42,5	45,0	47,5	50,0	52,5	55,0	57,5	60,0	62,5
62,5 (r=64,0)		2,6 – 16,5 8000	8000	7290	5850	5210	4660	4110	3740	3420	3150	2900	2690	2500	2330	2180	2040	1920	1800	1700	1600
60,0 (r=61,5)		2,6 – 17,9 8000	8000	7970	6400	5700	5110	4510	4110	3770	3470	3210	2980	2770	2590	2420	2270	2140	2010	1900	
57,5 (r=59,0)		2,6 – 17,8 8000	8000	7920	6360	5670	5080	4490	4090	3740	3450	3190	2960	2760	2570	2410	2260	2120	2000		
55,0 (r=56,5)		2,6 – 20,2 8000	8000	8000	7300	6520	5850	5170	4720	4330	4000	3710	3450	3210	3010	2820	2650	2500			
52,5 (r=54,0)		2,6 – 20,2 8000	8000	8000	7290	6510	5840	5170	4720	4330	3990	3700	3440	3210	3000	2820	2650				
50,0 (r=51,5)		2,6 – 21,5 8000	8000	8000	7820	6980	6270	5550	5070	4660	4300	3990	3710	3470	3250	3050					
47,5 (r=49,0)		2,6 – 21,5 8000	8000	8000	7820	6990	6270	5560	5080	4660	4310	3990	3720	3470	3250						
45,0 (r=46,5)		2,6 – 22,5 8000	8000	8000	8000	7320	6570	5820	5320	4890	4520	4200	3910	3650							
42,5 (r=44,0)		2,6 – 22,4 8000	8000	8000	8000	7310	6560	5820	5320	4890	4510	4190	3900								
40,0 (r=41,5)		2,6 – 23,0 8000	8000	8000	8000	7490	6730	5970	5450	5010	4630	4300									
37,5 (r=39,0)		2,6 – 23,0 8000	8000	8000	8000	7510	6750	5990	5470	5030	4650										
35,0 (r=36,5)		2,6 – 22,9 8000	8000	8000	8000	7470	6710	5950	5440	5000											
32,5 (r=34,0)		2,6 – 22,9 8000	8000	8000	8000	7480	6730	5960	5450												
30,0 (r=31,5)		2,6 – 22,9 8000	8000	8000	8000	7470	6710	5950													
26,9 (r=28,4)		2,6 – 22,9 8000	8000	8000	8000	7460	6700														
24,4 (r=25,9)		2,6 – 22,9 8000	8000	8000	8000	7450															



m	r	m/kg	172 EC-B 8 Litronic®																	
			16,0	19,0	22,0	25,0	28,0	31,0	34,0	37,0	40,0	42,5	45,0	47,5	50,0	52,5	55,0	57,5	60,0	62,5
62,5	(r=64,0)	2,6 – 18,0 8000	8000	7530	6410	5560	4890	4350	3910	3530	3220	2990	2780	2600	2430	2280	2140	2020	1910	1800
60,0	(r=61,5)	2,6 – 19,3 8000	8000	8000	6940	6030	5310	4730	4250	3850	3510	3260	3040	2840	2660	2500	2360	2220	2100	
57,5	(r=59,0)	2,6 – 19,2 8000	8000	8000	6880	5980	5260	4690	4210	3810	3480	3230	3010	2810	2640	2480	2330	2200		
55,0	(r=56,5)	2,6 – 21,5 8000	8000	8000	7800	6780	5980	5340	4810	4360	3980	3700	3460	3240	3040	2860	2700			
52,5	(r=54,0)	2,6 – 21,4 8000	8000	8000	7770	6760	5960	5320	4790	4340	3960	3690	3440	3230	3030	2850				
50,0	(r=51,5)	2,6 – 23,0 8000	8000	8000	8000	7300	6440	5750	5190	4710	4300	4010	3750	3510	3300					
47,5	(r=49,0)	2,6 – 22,9 8000	8000	8000	8000	7280	6420	5740	5170	4690	4290	4000	3730	3500						
45,0	(r=46,5)	2,6 – 23,8 8000	8000	8000	8000	7570	6690	5980	5390	4900	4480	4170	3900							
42,5	(r=44,0)	2,6 – 23,7 8000	8000	8000	8000	7540	6660	5950	5360	4870	4450	4150								
40,0	(r=41,5)	2,6 – 24,3 8000	8000	8000	8000	7770	6870	6140	5540	5030	4600									














TADEX ŻURAWIE







62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

Wysokość podnoszenia

		16 HC 175						
		C 25						
11		42,3 ¹⁾	41,8 ¹⁾	—	—	38,0 ¹⁾	—	—
10		39,8 ¹⁾	39,3 ¹⁾	—	49,3 ¹⁾	35,5 ¹⁾	46,9 ¹⁾	—
9		37,3	36,8	—	46,8 ¹⁾	33,0	44,4 ¹⁾	—
8		34,8	34,3	44,8 ¹⁾	44,3	30,5	41,9	—
7		32,3	31,8	42,3 ¹⁾	41,8	28,0	39,4	—
6		29,8	29,3	39,8	39,3	25,5	36,9	—
5		27,3	26,8	37,3	36,8	23,0	34,4	—
4		24,8	24,3	34,8	34,3	20,5	31,9	—
3		22,3	21,8	32,3	31,8	18,0	29,4	—
2		19,8	19,3	29,8	29,3	15,5	26,9	—
1		17,3	16,8	27,3	26,8	13,0	24,4	—
0		14,8	14,3	24,8	24,3	10,5	21,9	—
		m	m	m	m	m	m	m
								
		16 HC 175 UC-0460m	16 HC 175 UC-0460m	16 HC 175 UC-0460mr	16 HC 175 UC-0460mr	16 HC 175 FAr	16 HC 175 FAr	16 HC 175 CB-0460r

		16 EC 160/240			
		C 25			
13		—	—	52,5 ¹⁾¹⁾²⁾	53,7 ¹⁾¹⁾²⁾
12	11 + 1	—	—	50,5 ¹⁾¹⁾²⁾	51,7 ¹⁾¹⁾²⁾
11	10 + 1	—	—	48,7 ¹⁾¹⁾³⁾	49,8 ¹⁾¹⁾³⁾
10	9 + 1	—	—	46,7 ¹⁾¹⁾⁴⁾	47,8 ¹⁾¹⁾⁴⁾
9	8 + 1	—	—	44,8 ¹⁾¹⁾⁵⁾	45,9 ¹⁾¹⁾⁵⁾
8	7 + 1	—	—	42,8 ¹⁾¹⁾⁶⁾	43,9 ¹⁾¹⁾⁶⁾
7	6 + 1	—	—	40,8 ¹⁾¹⁾⁶⁾	42,0 ¹⁾¹⁾⁶⁾
6	5 + 1	—	—	38,9 ¹⁾¹⁾⁷⁾	40,0 ¹⁾¹⁾⁷⁾
5	4 + 1	—	—	37,0 ¹⁾¹⁾	38,1 ¹⁾¹⁾
4	3 + 1	—	—	35,0 ¹⁾	36,1 ¹⁾
3	2 + 1	—	—	33,0 ¹⁾	34,2 ¹⁾
2	1 + 1	—	—	31,1	32,2
1	0 + 1	—	—	29,2	30,3
0		—	—	27,2	28,4
		—	—	25,3	26,5
		—	—	23,3	24,6
		—	—	21,4	22,7
		—	—	19,4	20,8
		—	—	17,5	18,9
		—	—	15,5	17,0
		—	—	13,6	15,1
		—	—	11,6	13,2
		—	—	9,7	11,3
		—	—	7,7	9,4
		—	—	5,8	7,5
		—	—	3,8	5,6
		m	m	m	m
					
		16 EC 160 FA	20 EC 300 FA	16 EC 160 CB-0380m	20 EC 300 CB-0450m

		17 HC 200				21 HC 290			
		C 25							
12	—	—	—	—	—	63,1 ¹⁾	—	—	—
11	—	—	—	—	—	59,0 ¹⁾	—	—	66,5 ⁹⁾
10	—	—	—	—	—	54,8	71,4 ¹⁾	59,5 ¹⁾	62,4 ¹⁾
9	49,1 ¹⁾	—	—	—	—	50,7	63,1	55,4	58,2 ¹⁾
8	44,9 ¹⁾	54,5 ¹⁾	—	56,0 ⁸⁾	46,5	59,0	51,2	54,1	54,1
7	40,8	50,4 ¹⁾	44,8 ¹⁾	51,8 ¹⁾	42,4	54,8	47,1	49,9	49,9
6	36,6	46,2	40,7 ¹⁾	47,7	38,3	50,7	43,0	45,8	45,8
5	32,5	42,1	36,5	43,5	34,1	46,5	38,8	41,7	41,7
4	28,4	38,0	32,4	39,4	30,0	42,4	34,7	37,5	37,5
3	24,2	33,8	28,3	35,3	25,8	38,3	30,5	33,4	33,4
2	20,1	29,7	24,1	31,1	21,7	34,1	26,4	29,2	29,2
1	15,9	25,5	20,0	27,0	17,6	25,5	22,3	25,1	25,1
0	11,8	21,4	15,8	22,8	13,4	25,8	18,1	21,0	21,0
		m	m	m	m	m	m	m	m
									
		21 HC 290 FAr	21 HC 290 FAr	17 HC 200 UC-0460r	21 HC 290 CB-0450	21 HC 290 FAr	21 HC 290 UC-0600	21 HC 290 UC-0800	



- ¹⁾ 1 x 16 EC 160 – 16 EC 240 TST-0390c
²⁾ 6 x 16 EC 240 TS-0390c
³⁾ 5 x 16 EC 240 TS-0390c
⁴⁾ 4 x 16 EC 240 TS-0390c
⁵⁾ 3 x 16 EC 240 TS-0390c
⁶⁾ 2 x 16 EC 240 TS-0390c
⁷⁾ 1 x 16 EC 240 TS-0390c





TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
 tel. +48 61 8 666 777; 601 149 358
 tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

Prędkości



	0 ↔ U/min 0,8 sl./min o./min	7,5 kW FU						
	0 ↔ 100,0 m/min	5,5 kW FU						
	25,0 m/min	2 x 4,0 kW (16 HC 175) 2 x 5,5 kW (17 HC 200) 2 x 7,5 kW (21 HC 290)						
 <table> <tr> <td>kVA</td> <td>24 kW FU</td> <td>45 kW FU</td> </tr> <tr> <td></td> <td>35,0</td> <td>54,0</td> </tr> </table>			kVA	24 kW FU	45 kW FU		35,0	54,0
kVA	24 kW FU	45 kW FU						
	35,0	54,0						

Zasilanie elektryczne - zapotrzebowanie:

Napięcie zasilające	400V/50Hz
Przekrój poprzeczny kabla	4x25mm ²
Całkowita moc	Wciągarka 24/45kW
	37 / 58kW

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl