



LIEBHERR



ŻURAW WIEŻOWY 200 EC-H 10 Litronic





TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

LIEBHERR



Wysokość podnoszenia

	170 HC		200 HC			290 HC							
12	-	-	-	-	-	-	64,6	-	-	-	-	-	-
11	-	-	-	-	-	56,9	60,5	61,6	65,2	-	-	68,1	63,9
10	-	-	52,8	-	-	52,8	56,3	57,5	61,1	54,1	57,7	63,9	59,8
9	49,5	-	48,6	53,2	50,0	48,6	52,2	53,3	56,9	50,0	53,6	59,8	55,6
8	45,4	49,5	44,5	49,0	45,9	44,5	48,0	49,2	52,8	45,9	49,4	55,6	51,5
7	41,2	45,4	40,3	44,9	41,7	40,3	43,9	45,0	48,7	41,7	45,3	51,5	47,4
6	37,1	41,2	36,2	40,7	37,6	36,2	39,8	40,9	44,5	37,6	41,2	47,4	43,2
5	32,9	37,1	32,1	36,6	33,4	32,1	35,6	36,8	40,4	33,4	37,0	43,2	39,1
4	28,8	32,9	27,9	32,5	29,3	27,9	31,5	32,6	36,2	29,3	32,9	39,1	34,9
3	24,7	28,8	23,8	28,3	25,2	23,8	27,3	28,5	32,1	25,2	28,7	34,9	30,8
2	20,5	24,7	19,6	24,2	21,0	19,6	23,2	24,3	28,0	21,0	24,6	30,8	26,7
1	16,4	20,5	15,5	20,0	16,9	15,3	19,1	20,2	23,8	16,9	20,5	26,7	22,5
0	12,2	16,4	11,4	15,9	12,7	11,4	14,9	16,1	19,7	12,7	16,3	22,5	
	m		m			m a)	b)	a)	b)	a)	b)		

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47

tel. +48 61 8 666 777; 601 149 358


tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL



Zasięg i udźwig

m	r	m/kg	200 EC-H 10 FR.tronic®											
			19,0	22,0	25,0	28,0	31,0	34,0	37,0	40,0	45,0	50,0	55,0	60,0
60,0	(r = 61,6)	2,4 – 18,4 10000	9650	8190	7090	6220	5520	4950	4470	4060	3510	3070	2700	2400
55,0	(r = 56,6)	2,4 – 19,2 10000	10000	8570	7410	6510	5790	5190	4690	4270	3690	3230	2850	IM 1
50,0	(r = 51,6)	2,4 – 19,9 10000	10000	8960	7760	6820	6070	5450	4930	4480	3880	3400		
45,0	(r = 46,6)	2,4 – 20,8 10000	10000	9410	8160	7170	6380	5730	5190	4730	4100			
40,0	(r = 41,6)	2,4 – 22,2 10000	10000	10000	8750	7700	6860	6170	5590	5100				

LM 1



Prędkości




TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl


Zasięg i udźwig


m	r	m/kg	m/kg											200 EC-H 10 Litronic®	
			19,0	22,0	25,0	28,0	31,0	34,0	37,0	40,0	45,0	50,0	55,0	60,0	
60,0	(r = 61,6)	2,4 - 18,4 10000	9650	8190	7090	6500	6010	5390	4880	4400	3840	3370	2980	2650	
55,0	(r = 56,6)	2,4 - 20,4 10000	10000	9200	7970	7010	6230	5600	5060	4610	4000	3500	3100		
50,0	(r = 51,6)	2,4 - 19,9 10000	10000	8960	8300	7450	6630	5960	5400	4920	4270	3750			
45,0	(r = 46,6)	2,4 - 22,7 10000	10000	10000	8970	7900	7040	6330	5740	5240	4550				
40,0	(r = 41,6)	2,4 - 24,4 10000	10000	10000	9720	8570	7640	6880	6240	5700					

LM1 + LM2



Prędkości



	0 ↔ 0,8 sl./min tr./min	2 x 7,5 kW FU
	0 ↔ 100,0 m/min	5,5 kW FU
	25,0 m/min	2 x 5,5 kW (170 HC, 185 HC) 2 x 7,5 kW (256 HC)

Zasilanie elektryczne - zapotrzebowanie:

Napięcie zasilające	400V/50Hz
Przekrój poprzeczny kabla	4x35mm ²
Całkowita moc	Wciągarka 37/45/65kW 57 / 65 / 85kW

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl