



LIEBHERR



ŻURAW WIEŻOWY 420 EC-H 20 Litronic





TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

LIEBHERR



Wysokość podnoszenia

	355 HC		500 HC		
13	-	-	78,2*	86,2*	-
12	-	-	72,4	80,4	-
11	-	-	66,6	74,6	84,7*
10	72,4*	-	60,8	68,8	81,3
9	66,6	74,7*	55,0	63,0	75,5
8	60,8	68,9	49,2	57,2	69,7
7	55,0	63,1	43,4	51,4	63,9
6	49,2	57,3	37,6	45,6	58,1
5	43,4	51,5	31,8	39,8	52,3
4	37,6	45,7	26,0	34,0	46,5
3	31,8	39,9	20,2	28,2	40,7
2	26,0	34,1	14,4	22,4	34,9
1	20,2	28,3	8,6	16,6	29,1
0	14,4	22,5	2,8	10,9	23,3
	m	m	m	m	m

TADEX ŻURAWIE


62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL



Udźwig i zasięg

m r	m/kg	420 EC-H 20 FR.tronic®											
		20,0	25,0	30,0	35,0	40,0	45,0	50,0	55,0	60,0	65,0	70,0	75,0
75,0 (r=76,7)	2,7-16,6 20000	16170	12480	10030	8280	6970	5950	5140	4470	3920	3450	3050	2700
70,0 (r=71,7)	2,7-18,0 20000	17760	13750	11090	9190	7760	6660	5770	5050	4450	3940	3500	
65,0 (r=66,7)	2,7-19,6 20000	19600	15220	12310	10240	8680	7470	6510	5720	5060	4500		
60,0 (r=61,7)	2,7-21,1 20000	20000	16530	13400	11170	9500	8200	7160	6310	5600			
55,0 (r=56,7)	2,7-22,1 20000	20000	17400	14120	11790	10040	8680	7590	6700				
50,0 (r=51,7)	2,7-22,8 20000	20000	18020	14640	12230	10430	9020	7900					
45,0 (r=46,7)	2,7-22,7 20000	20000	17980	14610	12200	10400	9000						
40,0 (r=41,7)	2,7-22,7 20000	20000	17980	14610	12200	10400							

LM1



Prędkości



TADEX ŻURAWIE


62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL


Udźwig i zasięg


m	r	m/kg	m/kg										420 EC-H 20 Litronic®	
			20,0	25,0	30,0	35,0	40,0	45,0	50,0	55,0	60,0	65,0	70,0	75,0
75,0	(r=76,7)	2,7–18,3 20000	18120	14030	11310	9370	7920	6800	5900	5160	4550	4030	3580	3200
70,0	(r=71,7)	2,7–20,0 20000	19940	15480	12520	10410	8830	7600	6620	5820	5150	4580	4100	
65,0	(r=66,7)	2,7–21,5 20000	20000	16830	13640	11370	9670	8350	7290	6430	5710	5100		
60,0	(r=61,7)	2,7–22,8 20000	20000	18020	14630	12210	10410	9000	7880	6960	6200			
55,0	(r=56,7)	2,7–23,4 20000	20000	18540	15060	12590	10730	9290	8140	7200				
50,0	(r=51,7)	2,7–24,0 20000	20000	19060	15500	12960	11060	9580	8400					
45,0	(r=46,7)	2,7–24,0 20000	20000	19100	15530	12980	11080	9600						
40,0	(r=41,7)	2,7–23,9 20000	20000	18970	15420	12890	11000							



LM1 + LM2



Prędkości

	bezpłyniowy	
	kg	m/min
 110 kW FU WIW 300 VZ 401 6 Warstw 237,0 m max. 334,0 m**	1 20000	0 ↔ 27
	9800	0 ↔ 48
	2 11500	0 ↔ 46
3	5100	0 ↔ 81
	6400	0 ↔ 77
	2200	0 ↔ 140



	U/min 0 ↔ 0,7 sl./min tr./min	2 x 7,5 kW FU
	0 ↔ 91,0 m/min	10,5 kW FU
	25,0 m/min	4 x 7,5 kW 500 HC (550 HC) 4 x 5,5 kW 355 HC (390 HC)

Zasilanie elektryczne - zapotrzebowanie:

Napięcie zasilające	400V/50Hz
Przekrój poprzeczny kabla	4x50mm ²
Całkowita moc	Wciągarka 65/110kW 90 / 135kW

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl