



LIEBHERR



ŻURAW WIEŻOWY 71EC




TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

LIEBHERR



Wysokość podnoszenia

	170 HC	120 HC
15	-	48,1*
14	-	45,6
13	-	43,1
12	-	40,6
11	-	38,1
10	52,5*	35,6
9	48,4*	33,1
8	44,2	30,6
7	40,1	28,1
6	35,9	25,6
5	31,8	23,1
4	27,7	20,6
3	23,5	18,1
2	19,4	15,6
1	15,2	13,1
0	11,1	10,6
m		

* Weitere Hubhöhen sowie Klettern im Gebäude auf Anfrage. / Further hoist heights and climbing in the building on request.
 Hauteurs sous crochet plus élevées et hissage dans le bâtiment sur demande. / Altre altezze di sollevamento come pure varianti di gru
 allungabili: su richiesta. / Para alturas bajo gancho superiores y trepado en el interior del edificio, consultar. / Outras alturas de elevação
 e subida no edifício: conforme ao pedido.

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
 tel. +48 61 8 666 777; 601 149 358
 tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

The logo for Tadex, featuring the word "Tadex" in a bold, blue, sans-serif font. The letter "T" is stylized with a crane hook and cables integrated into its top bar. The logo is set against a light orange oval background with a dark blue border.


Udźwig i zasięg



Zasięg (m)	15,0
------------	------

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

Prędkości

	U/min 0,85 sl./min tr./min	6,3 kW
	8,0 / 29,1 / 54,0 m/min	3,0 kW
	25,0 m/min	2 x 2,2 kW (71 EC) 2 x 3,0 kW (120 HC) 2 x 7,5 kW (170 HC)
	kVA	22 kW 22 kW, FU 40,0 30,0

	Stufe / Step / Cran Marcia / Grado Velocidade				kg	m/min
22,0 / 18,0 / 4,0 kW, KL WIW 220 KY 006						
 62,0 m LS- Trommel	1		3000		2800	7,6
	2		3000		2800	35,3
	3		1700		1700	70,0
4 Lagen Layers Couches strati camadas capas						
	1				5600	3,6
	2				5600	17,6
	3				3400	35,0
22,0 kW, FU WIW 230 KY 002						
 78,0 m LS- Trommel	1		3000		2900	3,6
	2		3000		2900	36,0
	3		2400		2200	44,0
	4		1400		1500	70,0
5 Lagen Layers Couches strati camadas capas						
	1				5600	1,9
	2				5600	19,0
	3				4700	23,0
	4				3100	35,0

Zasilanie elektryczne - zapotrzebowanie:

Napięcie zasilające	400V/50Hz
Przekrój poprzeczny kabla	4x16mm ²
Całkowita moc	31,3kW

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl