


LIEBHERR



ŻURAW WIEŻOWY 85 EC-B 5




TADEX ŻURAWIE











62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

LIEBHERR



Udźwig i zasięg




TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl

WWW.DZWIGI-BUDOWLANE.PL

Udźwig i zasięg

m	r		m/kg	85 EC-B 5											
				17,5	20,0	22,5	25,0	27,5	30,0	32,5	35,0	37,5	40,0	42,5	45,0
50,0 (r = 51,5)	2,4 - 29,2 2500			2500	2500	2500	2500	2500	2420	2210	2020	1860	1720	1600	1490
47,5 (r = 49,0)	2,4 - 30,2 2500			2500	2500	2500	2500	2500	2500	2300	2100	1940	1790	1670	1550
45,0 (r = 46,5)	2,4 - 31,0 2500			2500	2500	2500	2500	2500	2500	2360	2170	2000	1850	1720	1600
42,5 (r = 44,0)	2,4 - 32,2 2500			2500	2500	2500	2500	2500	2500	2470	2270	2090	1940	1800	
40,0 (r = 41,5)	2,4 - 33,1 2500			2500	2500	2500	2500	2500	2500	2500	2340	2160	2000		
37,5 (r = 39,0)	2,4 - 34,3 2500			2500	2500	2500	2500	2500	2500	2500	2440	2250			
35,0 (r = 36,5)	2,4 - 35,0 2500			2500	2500	2500	2500	2500	2500	2500	2500				
32,5 (r = 34,0)	2,4 - 32,5 2500			2500	2500	2500	2500	2500	2500	2500					
30,0 (r = 31,5)	2,4 - 30,0 2500			2500	2500	2500	2500	2500	2500						
27,5 (r = 29,0)	2,4 - 27,5 2500			2500	2500	2500	2500	2500							
25,0 (r = 26,5)	2,4 - 25,0 2500			2500	2500	2500	2500								
22,5 (r = 24,0)	2,4 - 22,5 2500			2500	2500	2500									
20,0 (r = 21,5)	2,4 - 20,0 2500			2500	2500										
m	r		m/kg	85 EC-B 5											
				17,5	20,0	22,5	25,0	27,5	30,0	32,5	35,0	37,5	40,0	42,5	45,0
50,0 (r = 51,5)	2,4 - 27,5 2500	2,4 - 15,2 5000		4270	3670	3200	2830	2520	2270	2050	1870	1710	1570	1450	1340
47,5 (r = 49,0)	2,4 - 28,5 2500	2,4 - 15,7 5000		4440	3810	3330	2940	2630	2360	2140	1950	1790	1640	1510	1400
45,0 (r = 46,5)	2,4 - 29,3 2500	2,4 - 16,1 5000		4560	3920	3430	3030	2710	2440	2210	2010	1850	1700	1570	1450
42,5 (r = 44,0)	2,4 - 30,5 2500	2,4 - 16,8 5000		4770	4100	3590	3170	2840	2560	2320	2120	1940	1790	1650	
40,0 (r = 41,5)	2,4 - 31,4 2500	2,4 - 17,2 5000		4910	4230	3700	3280	2930	2640	2400	2190	2010	1850		
37,5 (r = 39,0)	2,4 - 32,5 2500	2,4 - 17,8 5000		5000	4400	3850	3410	3060	2760	2500	2290	2100			
35,0 (r = 36,5)	2,4 - 33,3 2500	2,4 - 18,2 5000		5000	4510	3950	3500	3140	2830	2570	2350				
32,5 (r = 34,0)	2,4 - 32,5 2500	2,4 - 18,7 5000		5000	4640	4060	3600	3230	2920	2650					
30,0 (r = 31,5)	2,4 - 30,0 2500	2,4 - 19,2 5000		5000	4770	4180	3710	3320	3000						
27,5 (r = 29,0)	2,4 - 27,5 2500	2,4 - 19,8 5000		5000	4950	4340	3850	3450							
25,0 (r = 26,5)	2,4 - 25,0 2500	2,4 - 20,5 5000		5000	5000	4500	4000								
22,5 (r = 24,0)	2,4 - 22,5 2500	2,4 - 16,2 5000		4590	3950	3450									
20,0 (r = 21,5)	2,4 - 20,0 2500	2,4 - 16,4 5000		4650	4000										

TADEX ŻURAWIE






62-030 Luboń, ul. Dworcowa 47

tel. +48 61 8 666 777; 601 149 358

tadex@dzwigi-budowlane.pl



WWW.DZWIGI-BUDOWLANE.PL





Wysokość podnoszenia

	3,9 m + 5,85 m	5,85 m	11,7 m	 C 25	85 LC													
	9+1	7		41,6 ¹⁾	—	—	41,8 ¹⁾	—	—	41,9 ¹⁾	—	—	41,2 ¹⁾	—	—	40,2	—	
10	8+1	6	3	39,7	—	—	39,9	—	—	40,0	—	—	39,3	—	—	38,2	—	
				37,7	—	—	37,9	—	—	38,0	—	—	37,3	—	—	36,3	—	
9				35,8	—	—	36,0	—	—	36,1	—	—	35,4	—	—	34,3	46,2	
8	7+1	5		33,8	45,5	—	34,0	45,6	45,6 ¹⁾	34,1	45,7	45,7 ¹⁾	33,4	45,0	45,0 ¹⁾	32,4	44,3	
				31,9	43,5	43,5 ¹⁾	32,1	43,7	43,7 ¹⁾	32,2	43,8	43,8 ¹⁾	31,5	43,1	43,1 ¹⁾	30,4	42,3	
7	6+1	4	2	29,9	41,5	41,5	30,1	41,7	41,7	30,2	41,8	41,8	29,5	41,1	41,1	28,5	40,4	
				28,0	39,6	39,6	28,2	39,8	39,8	28,3	39,9	39,9	27,6	39,2	39,2	26,5	38,4	
6	5+1	3	1	26,0	37,6	37,6	26,2	37,8	37,8	26,3	37,9	37,9	25,6	37,2	37,2	24,6	36,5	
				24,1	35,7	35,7	24,3	35,9	35,9	24,4	36,0	36,0	23,7	35,3	35,3	22,6	34,5	
5	4+1	2		22,1	33,7	33,7	22,3	33,9	33,9	22,4	34,0	34,0	21,7	33,3	33,3	20,7	32,6	
				20,2	31,8	31,8	20,4	32,0	32,0	20,5	32,1	32,1	19,8	31,4	31,4	18,7	30,6	
4	3+1	1		18,2	29,8	29,8	18,4	30,0	30,0	18,5	30,1	30,1	17,8	29,4	29,4	16,8	28,7	
				16,3	27,9	27,9	16,5	28,1	28,1	16,6	28,2	28,2	15,9	27,5	27,5	14,8	26,7	
3	2+1	1		14,3	25,9	25,9	14,5	26,1	26,1	14,6	26,2	26,2	13,9	25,5	25,5	12,9	24,8	
				12,4	24,0	24,0	12,6	24,2	24,2	12,7	24,3	24,3	12,0	23,6	23,6	10,9	22,8	
2	1+1			10,4	22,0	22,0	10,6	22,2	22,2	10,7	22,3	22,3	10,0	21,6	21,6	9,0	20,9	
				8,5	20,1	20,1	8,7	20,3	20,3	8,8	20,4	20,4	8,1	19,7	19,7	7,0	18,9	
1	0+1	1		6,5	18,1	18,1	6,7	18,3	18,3	6,8	18,4	18,4	6,1	17,7	17,7	5,1	17,0	
				4,6	16,2	16,2	4,8	16,4	16,4	4,9	16,5	16,5	4,2	15,8	15,8	3,1	15,0	
0	0			—	12,3	12,3	—	12,5	12,5	—	12,6	12,6	—	11,9	11,9	—	11,1	
				m	a)	b)	m	a)	b)	m	a)	b)	m	a)	b)	m		
																		

1) bez kabiny

Prędkości

	0 ↔ U/min 0,8 sl./min tr./min	7,5 kW FU
	0 ↔ 80,0 m/min	5,4 kW FU
	25,0 m/min	2 x 4,0 kW
Zasilanie elektryczne - zapotrzebowanie:		
Napięcie zasilające		400V/50Hz
Przekrój poprzeczny kabla		4x16mm ²
Całkowita moc		35kW

	3,8 / 18,5 / 22 kW WIW 230 MZ 402	5 Warstw	Bieg	kg	m/min
	149,0 m LS-Trommel		1	3000	3000 6,2
			2	3000	3000 28,0
			3	1700	1600 58,0
	217,0 m**		1		6000 3,1
			2		6000 14,0
			3		3500 29,0
	149,0 m LS-Trommel	22 kW FU WIW 230 MZ 404	5 Warstw	1	3000 3000 3,1
				2	3000 3000 31,0
				3	2400 2250 43,0
				4	1500 1350 70,0
	217,0 m**		1		6000 1,5
				2	6000 15,0
				3	4800 22,0
				4	3000 35,0

TADEX ŻURAWIE

62-030 Luboń, ul. Dworcowa 47
tel. +48 61 8 666 777; 601 149 358
tadex@dzwigi-budowlane.pl